	A 15 // A		
Notice of Allowability	Application No.	Applicant(s)	
	10/075,862	HARRISON ET AL.	
	Examiner	Art Unit	
	Alexander Grosz	3673	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to 3/16/05			
2. ☑ The allowed claim(s) is/are 31-40			
3. The drawings filed on are accepted by the Examiner.			
4.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 1008/03 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal P 6. ☑ Interview Summary Paper No./Mail Dat 8), 7. ☑ Examiner's Amendn 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413), le <u>5/25/05</u> nent/Comment	

Application/Control Number: 10/075,862

Art Unit: 3673

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Harrison on 5/25/05.

Cancel claims 41-58 without prejudice.

On page 25, of the <u>entered</u> substitute specification filed on 3/16/05, between lines 8, 9 enter:

-As in the structure of figure 15, the crib comprises an anti-collapse mechanism (139) witch is a non-expanding, flexible material used to detachably connect at least one lower corner bracket of the crib to its vertically aligned upper bracket.

In a <u>timely manner Mr.</u> Harrison agreed to insert a new element "139" in <u>figure 27</u>, similar to element "139" shown in figure 15, vertically oriented between at least one of the upper and lower brackets.

In claim 31, line 35, after "non-expanding", insert:

-flexible-; in line 36, change "attached" to -detachably connected-.

Insert the following <u>new</u> abstract:

Abstract of the Disclosure

The present invention relates to collapsible self-supported cribs which have one or more of the following characteristics: adjustable length and/or, width and/or height,

Application/Control Number: 10/075,862

Art Unit: 3673

lightweight, easily collapsed, very compact when collapsed and easily carried, stored and transported. The cribs contain one or more of the following elements: anti-torque posts, crossed support arms, telescoping crossed support arms, flexible liners, Structure Locking Elements, Anti-Collapse Locking Elements and Anti-Tipping Assemblies.

The following is an examiner's statement of reasons for allowance: On 5/25/05, Mr. Harrison and I discussed the prior art of record, in general, amended claims presented on 3/16/05, as well as the changes to the specification, abstract and drawing, and agreed that the claims are allowable. The prior art of record fails to teach or suggest the very specific structure of the claims that include the structure locking element and especially the detachable, flexible anti-collapse mechanism.

Claim 31 was further amended to clarify the flexible and detachable nature of the anti-collapse mechanism, to clearly differentiate it from conventional corner posts.

The three irrelevant "prior art" references on PTO 1449 are deleted.

If applicant has questions about drawing corrections, applicant may contact the draftsman, Nhan Tang, at 703-305-0333.

Upon agreement, I asked Mr. Harrison to consult with the co-inventor, Mr. Mann, to get his approval for the changes.

On 5/25/05, Mr. Mann called and indicated that he also agrees to the changes.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Application/Control Number: 10/075,862

Art Unit: 3673

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication should be directed to Alex Grosz at telephone number 571-272-7041.

Grosz/vs June 6, 2005 ALEXANDER GROSZ PRIMARY EXAMINER